arXiv:1608.08854v1 [math.AG] 18 Aug 2016

A genus-4 topological recursion relation for Gromov-Witten invariants

Xin Wang

Abstract

In this paper, we give a new genus-4 topological recursion relation for Gromov-Witten invariants of compact symplectic manifolds via Pixton's relations on the moduli space of curves. As an application, we prove Pixton's relations imply a known topological recursion relation on $\overline{\mathcal{M}}_{g,1}$ for genus $g \leq 4$.

Let $\overline{\mathcal{M}}_{g,n}$ be the moduli space of genus-g, stable curves with n marked points. It is well known that the relations among strata only involving ψ classes and boundary classes in the tautological ring of $\overline{\mathcal{M}}_{g,n}$ give universal equations for the Gromov-Witten invariants of compact symplectic manifolds. Examples of genus $g \leq 3$ universal equations were given in [W], [Ge1], [Ge2], [BP], [KL1] and [KL2]. Recently, a large class of relations on $\overline{\mathcal{M}}_{g,n}$, called Pixton's relations, was proposed in [P1] and proved in [PPZ]. They are a kind of combinatorial formulas among strata involving κ classes, ψ classes and boundary classes. Pixton wrote a Sage program in [P2] to compute these finitely many relations for fixed g and n. We will use it to eliminate all the κ classes appearing in Pixton's formula and obtain the kind of relations we want. In this paper, we give a new genus-4 universal equation, i.e. a genus-4 topological recursion relation on $\overline{\mathcal{M}}_{4,1}$.

To describe universal equations, we need some conventions. Let M be any compact symplectic manifold. Define the *big phase space* for Gromov-Witten invariants of M to be the product of infinitely many copies of $H^*(M;\mathbb{C})$. We will fix a basis $\{\gamma_\alpha|\alpha = 1, ..., N\}$ of $H^*(M;\mathbb{C})$. An operator T on the space of vector fields on the big phase space was introduced in [L1] to simplify topological recursion relations. The operator T is very useful when we translate relations in the tautological ring of $\overline{\mathcal{M}}_{g,n}$ into universal equations for Gromov-Witten invariants. We will write the universal equations of Gromov-Witten invariants as equations among correlators $\langle\langle \mathcal{W}_1 \cdots \mathcal{W}_k \rangle\rangle_g$ which are by definition the k-th covariant derivatives of the generating functions of genus-g Gromov-Witten invariants with respect to the trivial connection on the big phase space. we will briefly review these definitions in Section 1 for completeness.

In this paper, we will prove the following genus-4 universal equation

Theorem 0.1 *For Gromov-Witten invariants of any compact symplectic manifold, the following topological recursion relation holds for any vector field $\mathcal{W}$ on the big phase space:*

$$\langle\langle T^4(\mathcal{W}) \rangle\rangle_4 = A(\mathcal{W}) \tag{1}$$

where $A(\mathcal{W})$ is given by a very complicated formula only involving invariants of genus not bigger than 3. The explicit expression of $A(\mathcal{W})$ can be found in Appendix and we will not put it here.

Equivalently, this theorem corresponds to a relation in the tautological ring of $\overline{\mathcal{M}}_{4,1}$, representing ψ_1^4 as a linear combination of boundary strata decorated with ψ classes. Since the relation is very long, we will not show its dual graph representations in this paper. The interested readers can write it carefully by themselves. Actually, our main idea behind the proof of Theorem 0.1 is: first obtain the relation representing ψ_1^4 as a linear combination of strata containing ψ classes and boundary classes on $\overline{\mathcal{M}}_{4,1}$ via Pixton's relation, then translate it to equation (1) by the splitting principle of Gromov-Witten invariants.

We should mention that in [L2] it was conjectured that the following type of topological recursion relations hold for all genera g,

$$\langle\langle T^g(\mathcal{W})\rangle\rangle_g = A_{g-1}(\mathcal{W}). \tag{2}$$

Equivalently, equation (2) gives a topological recursion relation on $RH^{2g}(\overline{\mathcal{M}}_{g,1})$, representing ψ_1^g as a linear combination of boundary strata with ψ classes. It is well known that (2) holds for $g \leq 3$ (cf. [W], [Ge2] and [KL1]). Thus our Theorem 0.1 gives an affirmative answer to this conjecture at genus-4. In general, if it exists, such kind of relations goes very complicated as the genus g becomes more and more complicated. However, very interesting topological recursion relations on $RH^{2(2g+r)}(\overline{\mathcal{M}}_{g,1})$ (for any $r \geq 0$) were found and proved in [LP] for all genus $g \geq 1$ by localisation techniques.

$$\psi_1^{2g+r} = \sum_{g_1+g_2=g, g_i>0} \sum_{a+b=2g-1+r} (-1)^a \frac{g_2}{g} \rho_* \Big(\psi_{*1}^a \psi_{*2}^b \cap [\Delta_{1,\emptyset}(g_1, g_2)] \Big). \tag{3}$$

Given that Pixton's relations are conjectured to generate all relations in the tautological ring, one would expect they imply the relations (3). We prove this in the case of genus $g \leq 4$.

Theorem 0.2 *In the case of genus $g \leq 4$, Pixton's relations imply the topological recursion relation* (3).

As for genus $g \geq 5$, we conjecture that our method in the proof also works as long as we get the topological recursion relation on $RH^{2g}(\overline{\mathcal{M}}_{g,1})$.

This paper is organized as follows. In Section 1, we introduce notations and review basic theories needed in this paper. We prove Theorem 0.1 in Section 2 and prove Theorem 0.2 in Section 3. In the Appendix, we give the precise formula of the topological recursion relation (1).

Acknowledgements. The author is partially supported by the fundamental Research Funds of Shandong University. We would like to thank professor Xiaobo Liu for helpful discussion. We also thank Felix Janda for lots of helpful comments on the paper.

1 Preliminaries

1.1 Recollection of Pixton's relations on moduli space of curves

Let $\overline{\mathcal{M}}_{g,n}$ be the moduli space of stable curves of genus-g with n-marked points. The boundary strata of the moduli $\overline{\mathcal{M}}_{g,n}$ of fixed topological type correspond to stable graphs.

Formally, a stable graph is the structure

$$\Gamma = (V, E, L, g)$$

satisfying the following properties:

- V is the vertex set with a genus function $g : V \to \mathbb{Z}$,
- E is the edge set,
- L is the set of legs (corresponding to the set of markings),
- the pair (V, E) defines a connected graph,
- for each vertex v, the stability condition holds:

$$2g(v) - 2 + n(v) > 0,$$

  where $n(v)$ is the degree of the vertex v in the graph Γ.

The genus of a stable graph is defined by

$$g(\Gamma) := \sum_{v \in V} g(v) + h^1(\Gamma).$$

To each stable graph Γ, we associate the moduli space

$$\overline{\mathcal{M}}_\Gamma := \prod_{v \in V} \overline{\mathcal{M}}_{g(v),n(v)}.$$

Then there is a canonical morphism

$$\xi_\Gamma : \overline{\mathcal{M}}_\Gamma \to \overline{\mathcal{M}}_{g,n}$$

Recall that the *strata algebra* $\mathcal{S}_{g,n}$ on $\overline{\mathcal{M}}_{g,n}$ is defined to be a finite dimensional algebra, with additive basis the isomorphism classes $[\Gamma, \gamma]$, where Γ is a stable graph of genus g with n legs and γ is a class on $\overline{\mathcal{M}}_\Gamma$ which is a product of monomials in κ classes on each vertex of Γ and ψ classes on each half edge. Push forward along ξ_Γ defines a ring homomorphism from strata algebra to cohomology ring

$$\begin{aligned} q :& \mathcal{S}_{g,n} \to H^*(\overline{\mathcal{M}}_{g,n}) \\ & [\Gamma, \gamma] \to (\xi_\Gamma)_*(\gamma). \end{aligned}$$

The *tautological ring* $RH^*(\overline{\mathcal{M}}_{g,n})$ is by definition the image of q. An element in the kernel of q is call a *tautological relation* on $\overline{\mathcal{M}}_{g,n}$.

We define tautological classes $\mathcal{R}(g, n, r; \sigma, a_1, ..., a_n)$ associated to the data:

- $g, n \in \mathbb{Z}_{\geq 0}$ in the stable range $2g-2+n>0$,
- $a_1, ..., a_n$ are nonnegative integers not 2 mod 3,
- σ: a partition with no parts 2 mod 3,
- $r \in \mathbb{Z}_{\geq 0}$ satisfying

$$|\sigma| + \sum_i a_i \leq 3r - g - 1,$$

$$|\sigma| + \sum_i a_i \equiv 3r - g - 1 \pmod 2$$

where partition $\sigma = 1^{n_1}3^{n_3}4^{n_4}6^{n_6}\cdot\cdot$, $|\sigma| := \sum_{i\neq 2 mod 3} i n_i$.

The elements $\mathcal{R}(g, n, r; \sigma, a_1, ..., a_n)$ are expressed as sums over stable graphs of genus g with n legs.

$$\mathcal{R}(g, n, r; \sigma, a_1, ..., a_n) := \sum_{\Gamma \in G_{g,n}} \frac{1}{|Aut(\Gamma)|} (\xi_\Gamma)_* (\mathcal{R}_\Gamma(g, n, r; \sigma, a_1, ..., a_n)) \tag{4}$$

where $G_{g,n}$ denotes the finite set of stable graphs of genus g with n legs (up to isomorphism). Pixton's relations then takes

$$\mathcal{R}(g, n, r; \sigma, a_1, ..., a_n) = 0 \in H^{2r}(\overline{\mathcal{M}}_{g,n}, \mathbb{Q}). \tag{5}$$

Before writing the formula for $\mathcal{R}_\Gamma(g, n, r; \sigma, a_1, ..., a_n)$, a few definitions are required. We first introduce the following two power series:

$$A(T) = \sum_{n\geq 0} \frac{(6n)!}{(3n)!(2n)!} T^n,$$

$$B(T) = \sum_{n\geq 0} \frac{6n+1}{6n-1} \frac{(6n)!}{(3n)!(2n)!} T^n.$$

These two series play a central role in Pixton's relations. Let

$$\widehat{C}_{3i}(T, \zeta) = T^i A(\zeta T)$$

$$\widehat{C}_{3i+1}(T, \zeta) = \zeta T^i B(\zeta T)$$

where ζ is a formal parameter satisfying $\zeta^2 = 1$.

For any polynomial in variable T,

$$F(T) = \sum_n a_n T^n + \zeta \sum_n b_n T^n,$$

define

$$\{F(T)\} := \sum_n a_n T^n K_{n,0} + \sum_n b_n T^n K_{n,1}.$$

For each vertex $v \in V$ of a stable graph, we introduce an auxiliary variable ζ_v and impose the conditions

$$\zeta_v \zeta_{v'} = \zeta_{v'} \zeta_v, \quad \zeta_v^2 = 1.$$

The variables ζ_v will be responsible for keeping track of a local parity condition at each vertex.

For each stable graph $\Gamma \in G_{g,n}$, define

$$\widehat{\kappa}_\Gamma(K_{e_1,a_1} \cdots K_{e_l,a_l}) := \sum_{\tau \in S_l} \prod_{c \text{cycle in} \tau} \Big(\sum_{v \in V(\Gamma)} \kappa^{(v)}_{\sum_{i \in c} e_i} \zeta_v^{\sum_{i \in c} a_i} \Big) \tag{6}$$

We denote by $\mathcal{R}_\Gamma(g,n,r;\sigma,a_1,...,a_n) \in H^{2r}(\overline{\mathcal{M}}_{g,n};\mathbb{Q})$ the class

$$\begin{aligned}
&\mathcal{R}_\Gamma(g,n,r;\sigma,a_1,...,a_n) \\
=&\frac{1}{2^{h^1(\Gamma)}} \Big[\widehat{\kappa}_\Gamma\big(e^{\{1-\widehat{C}_0\}} \{\widehat{C}_{\sigma_1}\} \cdots \{\widehat{C}_{\sigma_l}\}\big) \prod_{i=1}^n \widehat{C}_{a_i}(\psi_i T, \zeta_{v_i}) \prod_{e \in E} \Delta_e \Big]_{T^{r-|E|} \prod_v \zeta_v^{g(v)+1}}
\end{aligned}$$

where $h^1(\Gamma) = |E(\Gamma)| - |V(\Gamma)| + 1$ is the number of loops in Γ, marking i corresponds to half-edge h_i on vertex v_i, and $g(v)$ is the genus of vertex v. The subscript $T^{r-|E|} \prod_v \zeta_v^{g(v)+1}$ indicates the coefficient of the monomial $T^{r-|E|} \prod_v \zeta_v^{g(v)+1}$ after the product inside the brackets is expanded. For each edge $e \in E$,

$$\Delta_e = \frac{A(\zeta_1\psi_1 T)\zeta_2 B(\zeta_2\psi_2 T) + \zeta_1 B(\zeta_1\psi_1 T) A(\zeta_2\psi_2 T) + \zeta_1 + \zeta_2}{(\psi_1 + \psi_2)T},$$

where ζ_1, ζ_2 are the ζ variables assigned to the vertices adjacent to the edge e and ψ_1, ψ_2 are the ψ classes corresponding to the half edges. The numerator of Δ_e is divisible by the denominator due to the identity

$$A(T)B(-T) + A(-T)B(T) = -2.$$

1.2 Basics on Gromov-Witten invariants

Let M be a compact symplectic manifold. The *small phase space* is by definition $H^*(M;\mathbb{C})$ and the *big phase space* is defined to be $\mathcal{P} := \prod_{n=0}^\infty H^*(M,\mathbb{C})$. Let $\{\gamma_1,...,\gamma_N\}$ be a fixed basis of $H^*(M,\mathbb{C})$, where γ_1 is the identity element of the cohomology ring of M. The corresponding basis for the n-th copy of $H^*(M,\mathbb{C})$ in this product is denoted by $\{\tau_n(\gamma_\alpha) \mid \alpha = 1,\dots,N\}$ for $n \geq 0$. Let t_n^α be the coordinates on $\mathcal{P}$ with respect to the standard basis $\{\tau_n(\gamma_\alpha) \mid \alpha = 1,\dots,N,\ n \geq 0\}$. We will identify $\tau_n(\gamma_\alpha)$ with $\frac{\partial}{\partial t_n^\alpha}$ as vector fields on the big phase space. If $n < 0$, $\tau_n(\gamma_\alpha)$ is understood to be the zero vector field.

We will also write $\tau_0(\gamma_\alpha)$ simply as γ_α. We use τ_+ and τ_- to denote the operators which shift the level of descendants, i.e.

$$\tau_\pm\Big(\sum_{n,\alpha} f_{n,\alpha}\tau_n(\gamma_\alpha)\Big) = \sum_{n,\alpha} f_{n,\alpha}\tau_{n\pm1}(\gamma_\alpha)$$

where $f_{n,\alpha}$ are functions on the big phase space.

Define $\eta = (\eta_{\alpha\beta})$ to be the matrix of intersection pairing on $H^*(M;\mathbb{C})$ in this basis $\{\gamma_1, ..., \gamma_N\}$. We will use $\eta = (\eta_{\alpha\beta})$ and $\eta^{-1} = (\eta^{\alpha\beta})$ to lower and raise indices, for example $\gamma^\alpha := \eta^{\alpha\beta}\gamma_\beta$ for any α. Here we use the summation convention that repeated indices should be summed over their entire ranges.

Let

$$\langle\tau_{n_1}(\gamma_{\alpha_1})\cdots\tau_{n_k}(\gamma_{\alpha_k})\rangle_{g,\beta} := \int_{[\overline{\mathcal{M}}_{g,n}(M,\beta)]^{vir}} \prod_{i=1}^{k}(\Psi_i \cup ev_i^*(\gamma_{\alpha_i}))$$

be the genus-g, degree-β, descendant Gromov-Witten invariant associated to $\gamma_{\alpha_1}, ..., \gamma_{\alpha_k}$ and nonnegative integers $n_1, ..., n_k$ (cf. [RT], [LT]). Here $\overline{\mathcal{M}}_{g,n}(M,\beta)$ is the moduli space of stable maps from genus-g, k-marked curves to M of degree $\beta \in H_2(M;\mathbb{Z})$. Ψ_i is the first Chern class of the tautological line bundle over $\overline{\mathcal{M}}_{g,n}(M,\beta)$ whose geometric fiber is the cotangent space of the domain curve at the i-th marked point and $ev_i : \overline{\mathcal{M}}_{g,n}(M,\beta) \to M$ is the i-th evaluation map for all $i = 1, ..., k$ and $[\overline{\mathcal{M}}_{g,n}(M,\beta)]^{vir}$ is the virtual fundamental class. The genus-g generating function is defined to be

$$F_g := \sum_{k\geq 0}\sum_{\alpha_1,...,\alpha_k}\sum_{n_1,...,n_k}\frac{1}{k!}t_{n_1}^{\alpha_1}\cdots t_{n_k}^{\alpha_k}\sum_\beta q^\beta\,\langle\tau_{n_1}(\gamma_{\alpha_1})\cdots\tau_{n_k}(\gamma_{\alpha_k})\rangle_{g,\beta}$$

where q^β belongs to the Novikov ring. This function is understood as a formal power series in variables $\{t_n^\alpha\}$ with coefficients in the Novikov ring.

Define a k-tensor $\langle\!\langle\cdots\rangle\!\rangle_g$ by

$$\langle\!\langle\,\mathcal{W}_1\mathcal{W}_2\cdots\mathcal{W}_k\,\rangle\!\rangle_g := \sum_{m_1,\alpha_1,...,m_k,\alpha_k} f^1_{m_1,\alpha_1}\cdots f^k_{m_k,\alpha_k}\frac{\partial^k}{\partial t^{\alpha_1}_{m_1}\cdots\partial t^{\alpha_k}_{m_k}}F_g \tag{7}$$

for vector fields $\mathcal{W}_i = \sum_{m,\alpha} f^i_{m,\alpha}\frac{\partial}{\partial t^\alpha_m}$ where $f^i_{m,\alpha}$ are functions on the big phase space. This tensor is called *k-point (correlation) function*.

For any vector fields $\mathcal{W}_1$ and $\mathcal{W}_2$ on the big phase space, the *quantum product* of $\mathcal{W}_1$ and $\mathcal{W}_2$ is defined by

$$\mathcal{W}_1 \circ \mathcal{W}_2 := \langle\!\langle\,\mathcal{W}_1\mathcal{W}_2\gamma^\alpha\,\rangle\!\rangle_0\,\gamma_\alpha.$$

Define the vector field

$$T(\mathcal{W}) := \tau_+(\mathcal{W}) - \langle\!\langle\mathcal{W}\gamma^\alpha\rangle\!\rangle_0\gamma_\alpha$$

for any vector field $\mathcal{W}$. The operator T was introduced in [L1] in order to simplify topological recursion relations of Gromov-Witten invariants. Let ∇ be the trivial flat

connection on the big phase space with respect to the coordinates $\{t_n^\alpha\}$. Then the covariant derivative of the quantum product is given by

$$\nabla_{\mathcal{W}_3}(\mathcal{W}_1 \circ \mathcal{W}_2) = (\nabla_{\mathcal{W}_3}\mathcal{W}_1) \circ \mathcal{W}_2 + \mathcal{W}_1 \circ (\nabla_{\mathcal{W}_3}\mathcal{W}_2) + \langle\langle \mathcal{W}_1\mathcal{W}_2\mathcal{W}_3\gamma^\alpha \rangle\rangle_0 \gamma_\alpha \tag{8}$$

and the covariant derivative of the operator T satisfies

$$\nabla_{\mathcal{W}_2} T(\mathcal{W}_1) = T(\nabla_{\mathcal{W}_2}\mathcal{W}_1) - \mathcal{W}_1 \circ \mathcal{W}_2 \tag{9}$$

for any vector fields $\mathcal{W}_1$, $\mathcal{W}_2$ and $\mathcal{W}_3$. We need these formulas to compute derivatives of universal equations.

2 Proof of Theorem 0.1

Obviously, Pixton's relations give lots of tautological relations on $\overline{\mathcal{M}}_{g,n}$ for any g and n. What we need is to eliminate the kappa classes in Pixton's relations to get explicit topological recursion relations on $\overline{\mathcal{M}}_{g,n}$.

The proof of Theorem 0.1 mainly contains five steps. Here we should mention that, by using his sage code, Pixton has checked the presence of Getzler's relation [Ge1] in $RH^4(\overline{\mathcal{M}}_{1,4})$ and Belorousski-Pandharipande relation [BP] in $RH^4(\overline{\mathcal{M}}_{2,3})$ (cf. [P1]).

Actually, the equation (1) is also obtained with the aid of Pixton's sage code. In principle, we can use this method for all g and n to get topological recursion relations. Here we focus on relations on $\overline{\mathcal{M}}_{4,1}$.

Firstly, find all the stable graphs up to isomorphism. In fact, we can define a degenerate operation on any vertex of a stable graph: simply splitting one vertex with genus $g(v)$ into two vertexes with genus $g(v_1)$ and $g(v_2)$ respectively, such that $g(v) = g(v_1) + g(v_2)$. We notice that any stable graph Γ of genus-$g = \sum_{v\in V} g(v) + h^1(\Gamma)$ with n-legs can be obtained from a graph with only one vertex attached with genus-$\sum_{v\in V(\Gamma)} g(v)$, $h^1(\Gamma)$ loops and n-legs via finite (equal to the number of ordinary edges of Γ) steps of degeneration. Then we identify graphs which are isomorphic to each other.

Secondly, we decorate each stable graph with some κ classes on the vertex and ψ classes on the half edge and legs, and identify the isomorphic ones. So we get the canonical linear basis of strata algebra $\mathcal{S}_{g,n}$. Then we reorder the basis so that strata with κ classes are in the front.

Thirdly, let $R_{g,n}$ be the set of all elements in the strata algebra $\mathcal{S}_{g,n}$ produced as follows: choose a dual graph Γ for a boundary stratum of $\overline{\mathcal{M}}_{g,n}$, pick one of the components $\mathcal{S}_{g',n'}$ in $\mathcal{S}_\Gamma = \mathcal{S}_{g_1,n_1} \times ... \times \mathcal{S}_{g_m,n_m}$, take the product of a relation $\mathcal{R}(g', n', d; \sigma, a_1, ..., a_n) = 0$ on the chosen component together with arbitrary classes on the other components, and push forward along the gluing map $\mathcal{S}_\Gamma \to \mathcal{S}_{g,n}$. So the set $R_{g,n}$ give us linear equations between the generators of the strata algebra. For our purpose, we should rewrite all these linear equations with respect to our list of strata and get the corresponding coefficients matrix R.

Fourthly, by technics in linear algebra, we can transform the matrix R into the reduced row echelon form. Then we can get many linear independent tautological relations among strata only involving ψ classes and boundary classes.

Lastly, we translate the tautological relations obtained above into differential equations for generating functions of Gromov-Witten invariants, here each ψ class corresponds to an insertion of the operator T. Actually we can get many linear independent differential equations, from which we can choose the equation (1).

Remark 2.1 *Actually, the first 3 steps in the above algorithm is essentially the same as the method in Pixton's sage program except the reordering of the strata generators. Using this method, we have also checked for the presence of all known topological recursion relations (cf. [Ge2], [KL1] and [KL2]). To our knowledge, Lin and Zhou have done some similar work (cf. [Li]). On the other hand, we get many new relations for genus-2 and genus-3 and their relation with higher genus Virasoro conjecture will be studied in the forthcoming papers.*

3 Proof of Theorem 0.2

First we use operator T to translate equation (3) into a differential equation

$$\langle\langle T^{2g+r}(\mathcal{W})\rangle\rangle_g = \sum_{g_1+g_2=g, g_i>0} \sum_{a+b=2g-1+r} (-1)^a \frac{g_2}{g} \langle\langle \mathcal{W}T^a(\gamma^\alpha)\rangle\rangle_{g_1} \langle\langle T^b(\gamma_\alpha)\rangle\rangle_{g_2} \tag{10}$$

where $g \geq 1$, $r \geq 0$ and $\mathcal{W}$ is an arbitrary vector field on the big phase space.

Via the operator T, we can reformulate the genus-0 topological recursion relation as

$$\langle\langle T(\mathcal{W}_1)\mathcal{W}_2\mathcal{W}_3\rangle\rangle_0 = 0 \tag{11}$$

and the genus-1 topological recursion relation as

$$\langle\langle T(\mathcal{W})\rangle\rangle_1 = \frac{1}{24}\langle\langle \mathcal{W}\gamma^\alpha\gamma_\alpha\rangle\rangle_0 \tag{12}$$

for any vector fields $\mathcal{W}$ and $\mathcal{W}_i$.

Taking derivatives of equation (12) and combining with equation (9), we have

$$\langle\langle T(\mathcal{W})\mathcal{V}\rangle\rangle_1 = \langle\langle \{\mathcal{W}\circ\mathcal{V}\}\rangle\rangle_1 + \frac{1}{24}\langle\langle \mathcal{W}\mathcal{V}\gamma^\alpha\gamma_\alpha\rangle\rangle_0.$$

To prove theorem 0.2, we only need to consider the following nontrivial cases.

3.1 Case of genus $g = 2$

Due to the dimension constraints, we only need to show that equation (10) holds for $r = 0$, i.e.

$$\langle\langle T^4(\mathcal{W})\rangle\rangle_2 = \frac{1}{2}\langle\langle \mathcal{W}T^2(\gamma^\alpha)\rangle\rangle_1 \langle\langle T(\gamma_\alpha)\rangle\rangle_1. \tag{13}$$

We recall the genus-2 Mumford relation (cf. [Ge2]) as formulated in [L1]:

$$\begin{aligned}
&\langle\langle T^2(\mathcal{W})\rangle\rangle_2\\
=&\frac{7}{10}\langle\langle\gamma^\alpha\rangle\rangle_1\langle\langle\{\gamma_\alpha\circ\mathcal{W}\}\rangle\rangle_1+\frac{1}{10}\langle\langle\gamma^\alpha\{\gamma_\alpha\circ\mathcal{W}\}\rangle\rangle_1-\frac{1}{240}\langle\langle\mathcal{W}\{\gamma^\alpha\circ\gamma_\alpha\}\rangle\rangle_1\\
&+\frac{13}{240}\langle\langle\mathcal{W}\gamma^\alpha\gamma_\alpha\gamma^\beta\rangle\rangle_0\langle\langle\gamma_\beta\rangle\rangle_1+\frac{1}{960}\langle\langle\mathcal{W}\gamma^\alpha\gamma_\alpha\gamma^\beta\gamma_\beta\rangle\rangle_0
\end{aligned}\tag{14}$$

for any vector field $\mathcal{W}$.

By equation (14), (11) and (12) and their derivatives, both sides of equation (13) equal to the expression

$$\frac{1}{1152}\langle\langle\Delta\Delta\mathcal{W}\rangle\rangle_0.$$

3.2 Case of genus $g = 3$

Due to the dimension constraints, we only need to equation (10) holds for $r = 0$ and $r = 1$. For simplicity, we here only give the proof of the case for $r = 0$ and the other case can be similarly done, i.e.

$$\langle\langle T^6(\mathcal{W})\rangle\rangle_3=\frac{1}{3}\langle\langle\mathcal{W}T^4(\gamma^\alpha)\rangle\rangle_2\langle\langle T(\gamma_\alpha)\rangle\rangle_1-\frac{1}{3}\langle\langle\mathcal{W}T^5(\gamma^\alpha)\rangle\rangle_2\langle\langle\gamma_\alpha\rangle\rangle_1.\tag{15}$$

To prove equation (15), we need the genus-3 topological recursion relation (cf. [KL1]):

$$\begin{aligned}
&\langle\langle T^3(\mathcal{W})\rangle\rangle_3\\
=&-\frac{1}{252}\langle\langle\mathcal{W}T(\gamma_\alpha\circ\gamma^\alpha)\rangle\rangle_2+\frac{5}{42}\langle\langle T(\gamma_\alpha)\{\mathcal{W}\circ\gamma^\alpha\}\rangle\rangle_2\\
&+\frac{13}{168}\langle\langle T(\gamma^\alpha)\rangle\rangle_2\langle\langle\gamma_\alpha\mathcal{W}\gamma^\beta\gamma_\beta\rangle\rangle_0+\frac{41}{21}\langle\langle T(\gamma^\alpha)\rangle\rangle_2\langle\langle\{\gamma_\alpha\circ\mathcal{W}\}\rangle\rangle_1\\
&-\frac{13}{168}\langle\langle\{\mathcal{W}\circ\gamma_\alpha\circ\gamma^\alpha\}\rangle\rangle_2+\frac{1}{280}\langle\langle\mathcal{W}\gamma^\alpha\rangle\rangle_1\langle\langle\gamma_\alpha\{\gamma^\beta\circ\gamma_\beta\}\rangle\rangle_1\\
&-\frac{23}{5040}\langle\langle\gamma^\alpha\rangle\rangle_1\langle\langle\gamma_\alpha\mathcal{W}\{\gamma^\beta\circ\gamma_\beta\}\rangle\rangle_1-\frac{47}{5040}\langle\langle\gamma^\alpha\rangle\rangle_1\langle\langle\gamma_\alpha\gamma^\beta\rangle\rangle_1\langle\langle\gamma_\beta\mathcal{W}\gamma^\mu\gamma_\mu\rangle\rangle_0\\
&-\frac{5}{1008}\langle\langle\mathcal{W}\gamma^\alpha\rangle\rangle_1\langle\langle\gamma_\alpha\gamma^\beta\gamma_\beta\gamma^\mu\rangle\rangle_0\langle\langle\gamma_\mu\rangle\rangle_1+\frac{23}{504}\langle\langle\gamma^\alpha\rangle\rangle_1\langle\langle\gamma_\alpha\mathcal{W}\gamma^\beta\gamma_\beta\gamma^\mu\rangle\rangle_0\langle\langle\gamma_\mu\rangle\rangle_1\\
&+\frac{11}{140}\langle\langle\gamma^\alpha\gamma^\beta\rangle\rangle_1\langle\langle\gamma_\alpha\{\gamma_\beta\circ\mathcal{W}\}\rangle\rangle_1-\frac{4}{35}\langle\langle\gamma^\alpha\rangle\rangle_1\langle\langle\gamma_\alpha\gamma^\beta\rangle\rangle_1\langle\langle\{\gamma_\beta\circ\mathcal{W}\}\rangle\rangle_1\\
&+\frac{2}{105}\langle\langle\mathcal{W}\gamma^\alpha\rangle\rangle_1\langle\langle\{\gamma_\alpha\circ\gamma_\beta\}\rangle\rangle_1\langle\langle\gamma^\beta\rangle\rangle_1+\frac{89}{210}\langle\langle\gamma^\alpha\rangle\rangle_1\langle\langle\gamma_\alpha\mathcal{W}\gamma^\beta\gamma^\mu\rangle\rangle_0\langle\langle\gamma_\beta\rangle\rangle_1\langle\langle\gamma_\mu\rangle\rangle_1\\
&-\frac{1}{210}\langle\langle\gamma^\alpha\rangle\rangle_1\langle\langle\gamma_\alpha\gamma^\beta\{\gamma_\beta\circ\mathcal{W}\}\rangle\rangle_1+\frac{1}{140}\langle\langle\mathcal{W}\gamma^\alpha\gamma^\beta\rangle\rangle_1\langle\langle\{\gamma_\alpha\circ\gamma_\beta\}\rangle\rangle_1\\
&+\frac{23}{140}\langle\langle\gamma^\alpha\gamma^\beta\rangle\rangle_1\langle\langle\gamma_\alpha\gamma_\beta\mathcal{W}\gamma^\mu\rangle\rangle_0\langle\langle\gamma_\mu\rangle\rangle_1-\frac{3}{140}\langle\langle\gamma^\alpha\gamma^\beta\rangle\rangle_1\langle\langle\{\gamma_\alpha\circ\gamma_\beta\}\mathcal{W}\rangle\rangle_1\\
&-\frac{1}{4480}\langle\langle\mathcal{W}\gamma^\alpha\rangle\rangle_1\langle\langle\gamma_\alpha\gamma_\beta\gamma^\beta\gamma_\mu\gamma^\mu\rangle\rangle_0+\frac{13}{8064}\langle\langle\gamma^\alpha\rangle\rangle_1\langle\langle\gamma_\alpha\mathcal{W}\gamma_\beta\gamma^\beta\gamma_\mu\gamma^\mu\rangle\rangle_0
\end{aligned}$$

$$
\begin{aligned}
&-\frac{1}{2240}\langle\!\langle \mathcal{W}\gamma^\alpha\gamma^\beta\rangle\!\rangle_1\langle\!\langle \gamma_\alpha\gamma_\beta\gamma_\mu\gamma^\mu\rangle\!\rangle_0+\frac{41}{6720}\langle\!\langle \gamma^\alpha\gamma^\beta\rangle\!\rangle_1\langle\!\langle \gamma_\alpha\gamma_\beta\mathcal{W}\gamma_\mu\gamma^\mu\rangle\!\rangle_0\\
&+\frac{1}{53760}\langle\!\langle \mathcal{W}\gamma^\alpha\gamma_\alpha\gamma_\beta\gamma^\beta\gamma_\mu\gamma^\mu\rangle\!\rangle_0-\frac{1}{210}\langle\!\langle \{\mathcal{W}\circ\gamma^\alpha\}\rangle\!\rangle_1\langle\!\langle \gamma_\alpha\gamma_\beta\gamma^\beta\rangle\!\rangle_1\\
&-\frac{1}{5760}\langle\!\langle \mathcal{W}\gamma^\alpha\gamma_\alpha\{\gamma_\beta\circ\gamma^\beta\}\rangle\!\rangle_1-\frac{1}{2688}\langle\!\langle \gamma^\alpha\gamma_\alpha\gamma^\beta\rangle\!\rangle_1\langle\!\langle \gamma_\beta\mathcal{W}\gamma_\mu\gamma^\mu\rangle\!\rangle_0\\
&-\frac{1}{5040}\langle\!\langle \gamma^\alpha\gamma_\alpha\gamma^\beta\{\gamma_\beta\circ\mathcal{W}\}\rangle\!\rangle_1+\frac{1}{3780}\langle\!\langle \mathcal{W}\gamma_\alpha\gamma_\beta\gamma_\mu\rangle\!\rangle_1\langle\!\langle \gamma^\alpha\gamma^\beta\gamma^\mu\rangle\!\rangle_0\\
&+\frac{1}{252}\langle\!\langle \gamma_\alpha\gamma_\beta\gamma_\mu\rangle\!\rangle_1\langle\!\langle \mathcal{W}\gamma^\alpha\gamma^\beta\gamma^\mu\rangle\!\rangle_0. \qquad (16)
\end{aligned}
$$

By equations (16), (11), (12), (14) and their derivatives, both sides of equation (15) can be reduced to the following expression

$$
\begin{aligned}
&\frac{7}{5760}\langle\!\langle \{\mathcal{W}\circ\Delta\circ\Delta\}\rangle\!\rangle_1+\frac{11}{2903040}\langle\!\langle \{\mathcal{W}\Delta\Delta\Delta\}\rangle\!\rangle_1\\
&+\frac{19}{967680}\langle\!\langle \{\mathcal{W}\circ\Delta\}\Delta\gamma^\alpha\gamma_\alpha\rangle\!\rangle_0+\frac{1}{120960}\langle\!\langle \mathcal{W}\{\Delta\circ\Delta\}\gamma^\alpha\gamma_\alpha\rangle\!\rangle_0\\
&+\frac{1}{60480}\langle\!\langle \{\mathcal{W}\circ\gamma^\alpha\}\gamma_\alpha\Delta\Delta\rangle\!\rangle_0+\frac{1}{11520}\langle\!\langle \{\mathcal{W}\circ\Delta\circ\gamma^\alpha\}\gamma_\alpha\gamma^\beta\gamma_\beta\rangle\!\rangle_0.
\end{aligned}
$$

3.3 Case of genus $g = 4$

Due to the dimension constraints, we only need to equation (10) holds for $r = 0$, $r = 1$ and $r = 2$. For simplicity, we only prove the case for $r = 0$ and the other case can be similarly done, i.e.

$$
\begin{aligned}
&\langle\!\langle T^8(\mathcal{W})\rangle\!\rangle_4\\
&=-\frac{2}{4}\langle\!\langle \mathcal{W}T^5(\gamma^\alpha)\rangle\!\rangle_2\langle\!\langle T^2(\gamma_\alpha)\rangle\!\rangle_2+\frac{1}{4}\langle\!\langle \mathcal{W}T^6(\gamma^\alpha)\rangle\!\rangle_3\langle\!\langle T(\gamma_\alpha)\rangle\!\rangle_1-\frac{1}{4}\langle\!\langle \mathcal{W}T^7(\gamma^\alpha)\rangle\!\rangle_3\langle\!\langle \gamma_\alpha\rangle\!\rangle_1. \qquad (17)
\end{aligned}
$$

By the equations (17), (11), (12), (16) and their derivatives, we can reduce both sides of equation (17) to an expression only involving genus-0 and genus-1 invariants. As the expression itself is long and not so important, we omit it here.

Appendix

A Expression of $A(\mathcal{W})$

In this appendix, we give the explicit expression of $A(\mathcal{W})$ in equation (1).

$$
\begin{aligned}
&A(\mathcal{W})\\
&=-\frac{1}{20}\langle\!\langle \gamma^\alpha\mathcal{W}\gamma^\beta\rangle\!\rangle_0\langle\!\langle T(\gamma_\alpha)T(\gamma_\beta)\rangle\!\rangle_3-\frac{1}{6}\langle\!\langle \gamma^\alpha\gamma_\alpha\gamma^\beta\rangle\!\rangle_0\langle\!\langle T^2(\mathcal{W})\gamma_\beta\rangle\!\rangle_3+\frac{13}{72}\langle\!\langle \gamma^\alpha\gamma_\alpha\gamma^\beta\rangle\!\rangle_0\langle\!\langle \mathcal{W}T^2(\gamma_\beta)\rangle\!\rangle_3
\end{aligned}
$$

$$+\frac{47}{72}\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle\mathcal{W}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle T(\gamma_{\sigma})\rangle\!\rangle_3-\frac{47}{72}\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\mathcal{W}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle T^2(\gamma_{\beta})\rangle\!\rangle_3$$
$$+\frac{127}{14}\langle\!\langle T(\gamma^{\alpha})\rangle\!\rangle_2\langle\!\langle\mathcal{W}\gamma_{\alpha}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle T(\gamma_{\beta})\rangle\!\rangle_2+\frac{85}{21}\langle\!\langle\gamma^{\alpha}\rangle\!\rangle_1\langle\!\langle\mathcal{W}\gamma_{\alpha}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle\gamma_{\beta}T(\gamma_{\sigma})\rangle\!\rangle_2$$
$$+\frac{103}{42}\langle\!\langle\gamma^{\alpha}\rangle\!\rangle_1\langle\!\langle\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle T(\mathcal{W})\gamma_{\sigma}\rangle\!\rangle_2-\frac{97}{70}\langle\!\langle\gamma^{\alpha}\rangle\!\rangle_1\langle\!\langle\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\mathcal{W}T(\gamma_{\sigma})\rangle\!\rangle_2$$
$$+\frac{163}{30}\langle\!\langle\gamma^{\alpha}\rangle\!\rangle_1\langle\!\langle\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\mathcal{W}\gamma_{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle T(\gamma_{\sigma})\rangle\!\rangle_2-\frac{278}{21}\langle\!\langle\gamma^{\alpha}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\mathcal{W}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle T(\gamma_{\sigma})\rangle\!\rangle_2$$
$$-\frac{134}{105}\langle\!\langle\gamma^{\alpha}\rangle\!\rangle_1\langle\!\langle\mathcal{W}\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle T(\gamma_{\sigma})\rangle\!\rangle_2-\frac{86}{35}\langle\!\langle\gamma^{\alpha}\rangle\!\rangle_1\langle\!\langle\mathcal{W}\gamma_{\alpha}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma_{\beta}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1$$
$$-\frac{13}{35}\langle\!\langle\gamma^{\alpha}\rangle\!\rangle_1\langle\!\langle\mathcal{W}\gamma_{\alpha}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma_{\beta}\gamma_{\mu}\rangle\!\rangle_1-\frac{163}{30}\langle\!\langle\gamma^{\alpha}\rangle\!\rangle_1\langle\!\langle\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\mathcal{W}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle\gamma_{\mu}\rangle\!\rangle_2$$
$$+\frac{32}{35}\langle\!\langle\gamma^{\alpha}\rangle\!\rangle_1\langle\!\langle\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\mathcal{W}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1+\frac{9}{70}\langle\!\langle\gamma^{\alpha}\rangle\!\rangle_1\langle\!\langle\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\mathcal{W}\gamma_{\mu}\rangle\!\rangle_1$$
$$-\frac{127}{35}\langle\!\langle\gamma^{\alpha}\rangle\!\rangle_1\langle\!\langle\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\mathcal{W}\gamma_{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1-\frac{3}{5}\langle\!\langle\gamma^{\alpha}\rangle\!\rangle_1\langle\!\langle\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle\mathcal{W}\gamma_{\mu}\rangle\!\rangle_1$$
$$+\frac{463}{840}\langle\!\langle\gamma^{\alpha}\rangle\!\rangle_1\langle\!\langle\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle\mathcal{W}\gamma_{\alpha}\gamma_{\beta}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle\gamma_{\mu}\rangle\!\rangle_1-\frac{69}{35}\langle\!\langle\gamma^{\alpha}\rangle\!\rangle_1\langle\!\langle\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle\mathcal{W}\gamma_{\mu}\rangle\!\rangle_1$$
$$+\frac{117}{35}\langle\!\langle\gamma^{\alpha}\rangle\!\rangle_1\langle\!\langle\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle\mathcal{W}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle\gamma_{\alpha}\gamma_{\mu}\rangle\!\rangle_1+\frac{139}{84}\langle\!\langle\gamma^{\alpha}\mathcal{W}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}T(\gamma_{\sigma})\rangle\!\rangle_2$$
$$+\frac{107}{168}\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle T(\mathcal{W})\gamma_{\sigma}\rangle\!\rangle_2-\frac{413}{480}\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle\mathcal{W}T(\gamma_{\sigma})\rangle\!\rangle_2$$
$$-\frac{26}{35}\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle\mathcal{W}\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle\gamma_{\beta}T(\gamma_{\sigma})\rangle\!\rangle_2+\frac{767}{672}\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle\mathcal{W}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle T(\gamma_{\sigma})\rangle\!\rangle_2$$
$$+\frac{229}{504}\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\mathcal{W}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle T(\gamma_{\beta})\gamma_{\sigma}\rangle\!\rangle_2+\frac{767}{672}\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\mathcal{W}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle T(\gamma_{\sigma})\rangle\!\rangle_2$$
$$+\frac{71}{210}\langle\!\langle\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\mathcal{W}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma^{\alpha}T(\gamma_{\alpha})\gamma_{\sigma}\rangle\!\rangle_2+\frac{1}{24}\langle\!\langle\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\mathcal{W}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}T(\gamma_{\sigma})\rangle\!\rangle_2$$
$$-\frac{2857}{3780}\langle\!\langle\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\gamma^{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle T(\gamma_{\alpha})\mathcal{W}\gamma_{\sigma}\rangle\!\rangle_2+\frac{43}{42}\langle\!\langle\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\gamma^{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma_{\alpha}T(\mathcal{W})\gamma_{\sigma}\rangle\!\rangle_2$$
$$+\frac{14491}{7560}\langle\!\langle\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\gamma^{\alpha}\mathcal{W}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle T(\gamma_{\alpha})\gamma_{\sigma}\rangle\!\rangle_2+\frac{65}{168}\langle\!\langle\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle T(\mathcal{W})\gamma_{\sigma}\rangle\!\rangle_2$$
$$-\frac{13751}{30240}\langle\!\langle\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\mathcal{W}T(\gamma_{\sigma})\rangle\!\rangle_2+\frac{8107}{30240}\langle\!\langle\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\mathcal{W}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle T(\gamma_{\sigma})\rangle\!\rangle_2$$
$$+\frac{3637}{7560}\langle\!\langle\mathcal{W}\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\gamma^{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle T(\gamma_{\alpha})\gamma_{\sigma}\rangle\!\rangle_2-\frac{4765}{6048}\langle\!\langle\mathcal{W}\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle T(\gamma_{\sigma})\rangle\!\rangle_2$$
$$-\frac{503}{336}\langle\!\langle\gamma^{\alpha}\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle T(\mathcal{W})\gamma_{\sigma}\rangle\!\rangle_2+\frac{35951}{15120}\langle\!\langle\gamma^{\alpha}\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\mathcal{W}T(\gamma_{\sigma})\rangle\!\rangle_2$$
$$-\frac{15401}{7560}\langle\!\langle\gamma^{\alpha}\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\mathcal{W}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle T(\gamma_{\sigma})\rangle\!\rangle_2-\frac{10783}{3780}\langle\!\langle\gamma^{\alpha}\mathcal{W}\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle T(\gamma_{\sigma})\rangle\!\rangle_2$$
$$-\frac{73}{84}\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\mathcal{W}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle T(\gamma_{\sigma})\rangle\!\rangle_2-\frac{29}{315}\langle\!\langle\gamma^{\alpha}\mathcal{W}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1$$
$$-\frac{73}{420}\langle\!\langle\gamma^{\alpha}\mathcal{W}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\gamma_{\mu}\rangle\!\rangle_1+\frac{79}{140}\langle\!\langle\gamma^{\alpha}\mathcal{W}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle\gamma_{\beta}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1$$

$$
- \frac{331}{280}\langle\!\langle \gamma^{\alpha}\mathcal{W}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle \gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle \gamma_{\alpha}\gamma_{\mu}\rangle\!\rangle_1 - \frac{229}{504}\langle\!\langle \gamma^{\alpha}\gamma_{\alpha}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle \mathcal{W}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle \gamma^{\mu}\rangle\!\rangle_1\langle\!\langle \gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_2
$$
$$
+ \frac{17}{42}\langle\!\langle \gamma^{\alpha}\gamma_{\alpha}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle \gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \mathcal{W}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle \gamma_{\beta}\gamma_{\mu}\rangle\!\rangle_2 + \frac{15331}{100800}\langle\!\langle \gamma^{\alpha}\gamma_{\alpha}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle \gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \gamma^{\mu}\rangle\!\rangle_1\langle\!\langle \mathcal{W}\gamma_{\beta}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1
$$
$$
- \frac{7837}{12600}\langle\!\langle \gamma^{\alpha}\gamma_{\alpha}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle \gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle \mathcal{W}\gamma_{\beta}\gamma_{\mu}\rangle\!\rangle_1 - \frac{88}{525}\langle\!\langle \gamma^{\alpha}\gamma_{\alpha}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle \gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \gamma_{\beta}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle \mathcal{W}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1
$$
$$
+ \frac{17881}{50400}\langle\!\langle \gamma^{\alpha}\gamma_{\alpha}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle \gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \gamma_{\beta}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle \mathcal{W}\gamma_{\mu}\rangle\!\rangle_1 - \frac{767}{672}\langle\!\langle \gamma^{\alpha}\gamma_{\alpha}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle \gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \mathcal{W}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle \gamma_{\mu}\rangle\!\rangle_2
$$
$$
+ \frac{657}{1400}\langle\!\langle \gamma^{\alpha}\gamma_{\alpha}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle \gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle \mathcal{W}\gamma_{\mu}\rangle\!\rangle_1 + \frac{2017}{33600}\langle\!\langle \gamma^{\alpha}\gamma_{\alpha}\mathcal{W}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle \gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \gamma^{\mu}\rangle\!\rangle_1\langle\!\langle \gamma_{\beta}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1
$$
$$
- \frac{10027}{12600}\langle\!\langle \gamma^{\alpha}\gamma_{\alpha}\mathcal{W}\gamma^{\beta}\rangle\!\rangle_0\langle\!\langle \gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle \gamma_{\beta}\gamma_{\mu}\rangle\!\rangle_1 - \frac{14513}{3780}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \mathcal{W}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle \gamma^{\alpha}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle \gamma_{\alpha}\gamma_{\mu}\rangle\!\rangle_2
$$
$$
- \frac{59}{252}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \mathcal{W}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle \gamma^{\mu}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\gamma_{\alpha}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1 - \frac{3}{140}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \mathcal{W}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle \gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\gamma_{\alpha}\gamma_{\mu}\rangle\!\rangle_1
$$
$$
- \frac{221}{140}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \mathcal{W}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle \gamma^{\alpha}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle \gamma_{\alpha}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1 + \frac{3977}{3024}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle \gamma_{\alpha}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle \mathcal{W}\gamma_{\mu}\rangle\!\rangle_2
$$
$$
- \frac{21311}{15120}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle \gamma_{\alpha}\mathcal{W}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle \gamma_{\mu}\rangle\!\rangle_2 - \frac{29}{100}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle \gamma^{\mu}\rangle\!\rangle_1\langle\!\langle \gamma_{\alpha}\mathcal{W}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1
$$
$$
- \frac{2123}{945}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle \gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle \gamma_{\alpha}\mathcal{W}\gamma_{\mu}\rangle\!\rangle_1 + \frac{2069}{6300}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle \mathcal{W}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle \gamma_{\alpha}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1
$$
$$
- \frac{21311}{15120}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\mathcal{W}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle \gamma_{\alpha}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle \gamma_{\mu}\rangle\!\rangle_2 - \frac{2593}{1575}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\mathcal{W}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle \gamma^{\mu}\rangle\!\rangle_1\langle\!\langle \gamma_{\alpha}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1
$$
$$
- \frac{3547}{15120}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\mathcal{W}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle \gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle \gamma_{\alpha}\gamma_{\mu}\rangle\!\rangle_1 - \frac{8107}{30240}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\gamma_{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle \mathcal{W}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle \gamma_{\mu}\rangle\!\rangle_2
$$
$$
+ \frac{1309}{7200}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\gamma_{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle \gamma^{\mu}\rangle\!\rangle_1\langle\!\langle \mathcal{W}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1 + \frac{10781}{50400}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\gamma_{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle \gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle \mathcal{W}\gamma_{\mu}\rangle\!\rangle_1
$$
$$
- \frac{2377}{50400}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\gamma_{\alpha}\mathcal{W}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle \gamma^{\mu}\rangle\!\rangle_1\langle\!\langle \gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1 - \frac{59}{540}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \gamma_{\beta}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle \gamma^{\alpha}\gamma_{\alpha}\mathcal{W}\gamma_{\mu}\rangle\!\rangle_1
$$
$$
- \frac{2119}{7560}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \mathcal{W}\gamma_{\beta}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle \gamma^{\alpha}\gamma_{\alpha}\gamma_{\mu}\rangle\!\rangle_1 - \frac{3581}{37800}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\gamma_{\beta}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle \gamma_{\alpha}\mathcal{W}\gamma_{\mu}\rangle\!\rangle_1
$$
$$
+ \frac{3509}{10800}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\mathcal{W}\gamma_{\beta}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle \gamma_{\alpha}\gamma_{\mu}\rangle\!\rangle_1 - \frac{29311}{100800}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\gamma_{\alpha}\gamma_{\beta}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle \mathcal{W}\gamma_{\mu}\rangle\!\rangle_1
$$
$$
+ \frac{23113}{302400}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\gamma_{\alpha}\mathcal{W}\gamma_{\beta}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle \gamma_{\mu}\rangle\!\rangle_1 + \frac{109}{210}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \mathcal{W}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle \gamma^{\alpha}\gamma_{\alpha}\gamma_{\mu}\rangle\!\rangle_1
$$
$$
+ \frac{6859}{3150}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle \gamma_{\alpha}\mathcal{W}\gamma_{\mu}\rangle\!\rangle_1 + \frac{19351}{12600}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\mathcal{W}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle \gamma_{\alpha}\gamma_{\mu}\rangle\!\rangle_1
$$
$$
+ \frac{3917}{10080}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\gamma_{\alpha}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle \mathcal{W}\gamma_{\mu}\rangle\!\rangle_1 - \frac{18859}{37800}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \mathcal{W}\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \gamma_{\beta}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle \gamma^{\alpha}\gamma_{\alpha}\gamma_{\mu}\rangle\!\rangle_1
$$
$$
- \frac{1642}{1575}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \mathcal{W}\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle \gamma_{\alpha}\gamma_{\beta}\gamma_{\mu}\rangle\!\rangle_1 + \frac{18371}{37800}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \mathcal{W}\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\gamma_{\beta}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle \gamma_{\alpha}\gamma_{\mu}\rangle\!\rangle_1
$$
$$
+ \frac{1123}{1800}\langle\!\langle \gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \mathcal{W}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle \gamma_{\alpha}\gamma_{\mu}\rangle\!\rangle_1 - \frac{1069}{3024}\langle\!\langle \mathcal{W}\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle \gamma_{\alpha}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle \gamma_{\mu}\rangle\!\rangle_2
$$
$$
+ \frac{43307}{15120}\langle\!\langle \mathcal{W}\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle \gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle \gamma_{\alpha}\gamma_{\mu}\rangle\!\rangle_1 - \frac{4117}{3600}\langle\!\langle \mathcal{W}\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle \gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_1\langle\!\langle \gamma^{\alpha}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle \gamma_{\alpha}\gamma_{\mu}\rangle\!\rangle_1
$$

$$+\frac{15401}{7560}\langle\!\langle\gamma^{\alpha}\gamma^{\beta}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\mathcal{W}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle\gamma_{\mu}\rangle\!\rangle_2+\frac{17}{1680}\langle\!\langle\gamma^{\beta}\mathcal{W}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}T(\gamma_{\beta})\gamma_{\sigma}\rangle\!\rangle_2$$
$$-\frac{13129}{1814400}\langle\!\langle\gamma^{\beta}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\mathcal{W}T(\gamma_{\sigma})\rangle\!\rangle_2+\frac{37181}{1814400}\langle\!\langle\gamma^{\beta}\gamma_{\beta}\mathcal{W}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}T(\gamma_{\sigma})\rangle\!\rangle_2$$
$$-\frac{4201}{302400}\langle\!\langle\gamma^{\alpha}\gamma^{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle T(\gamma_{\alpha})\gamma_{\beta}\mathcal{W}\gamma_{\sigma}\rangle\!\rangle_2+\frac{703}{20160}\langle\!\langle\gamma^{\alpha}\gamma^{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma_{\alpha}\gamma_{\beta}T(\mathcal{W})\gamma_{\sigma}\rangle\!\rangle_2$$
$$+\frac{4537}{151200}\langle\!\langle\gamma^{\alpha}\gamma^{\beta}\mathcal{W}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle T(\gamma_{\alpha})\gamma_{\beta}\gamma_{\sigma}\rangle\!\rangle_2-\frac{9419}{907200}\langle\!\langle\gamma^{\alpha}\gamma^{\beta}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle T(\gamma_{\alpha})\mathcal{W}\gamma_{\sigma}\rangle\!\rangle_2$$
$$+\frac{1}{60}\langle\!\langle\gamma^{\alpha}\gamma^{\beta}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma_{\alpha}T(\mathcal{W})\gamma_{\sigma}\rangle\!\rangle_2-\frac{1081}{64800}\langle\!\langle\gamma^{\alpha}\gamma^{\beta}\gamma_{\beta}\mathcal{W}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle T(\gamma_{\alpha})\gamma_{\sigma}\rangle\!\rangle_2$$
$$+\frac{1}{120}\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\gamma^{\beta}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle T(\mathcal{W})\gamma_{\sigma}\rangle\!\rangle_2-\frac{3331}{604800}\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\gamma^{\beta}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\mathcal{W}T(\gamma_{\sigma})\rangle\!\rangle_2$$
$$+\frac{1319}{604800}\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\gamma^{\beta}\gamma_{\beta}\mathcal{W}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle T(\gamma_{\sigma})\rangle\!\rangle_2-\frac{14471}{75600}\langle\!\langle\gamma^{\beta}\mathcal{W}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma^{\alpha}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\gamma_{\mu}\rangle\!\rangle_2$$
$$+\frac{191}{5040}\langle\!\langle\gamma^{\beta}\mathcal{W}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle\gamma_{\beta}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_2-\frac{23161}{907200}\langle\!\langle\gamma^{\beta}\mathcal{W}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle\gamma_{\beta}\gamma_{\mu}\rangle\!\rangle_2$$
$$-\frac{17}{2800}\langle\!\langle\gamma^{\beta}\mathcal{W}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\gamma_{\beta}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1+\frac{487}{50400}\langle\!\langle\gamma^{\beta}\mathcal{W}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\gamma_{\beta}\gamma_{\mu}\rangle\!\rangle_1$$
$$-\frac{197}{16800}\langle\!\langle\gamma^{\beta}\mathcal{W}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma_{\beta}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\gamma_{\mu}\rangle\!\rangle_1-\frac{3697}{50400}\langle\!\langle\gamma^{\beta}\mathcal{W}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma^{\alpha}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1$$
$$+\frac{13}{210}\langle\!\langle\gamma^{\beta}\mathcal{W}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma^{\alpha}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\gamma_{\mu}\rangle\!\rangle_1-\frac{37181}{1814400}\langle\!\langle\gamma^{\beta}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\mathcal{W}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\gamma_{\mu}\rangle\!\rangle_2$$
$$-\frac{283}{57600}\langle\!\langle\gamma^{\beta}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle\mathcal{W}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_2+\frac{4259}{201600}\langle\!\langle\gamma^{\beta}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\mathcal{W}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_2$$
$$+\frac{216599}{18144000}\langle\!\langle\gamma^{\beta}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\mathcal{W}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1-\frac{383}{112000}\langle\!\langle\gamma^{\beta}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\mathcal{W}\gamma_{\mu}\rangle\!\rangle_1$$
$$+\frac{42347}{2592000}\langle\!\langle\gamma^{\beta}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\mathcal{W}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1-\frac{21197}{1008000}\langle\!\langle\gamma^{\beta}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\mathcal{W}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\gamma_{\mu}\rangle\!\rangle_1$$
$$+\frac{104827}{1296000}\langle\!\langle\gamma^{\beta}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma^{\alpha}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\mathcal{W}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1-\frac{271093}{4536000}\langle\!\langle\gamma^{\beta}\gamma_{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma^{\alpha}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\mathcal{W}\gamma_{\mu}\rangle\!\rangle_1$$
$$+\frac{106439}{18144000}\langle\!\langle\gamma^{\beta}\gamma_{\beta}\mathcal{W}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1-\frac{33017}{1008000}\langle\!\langle\gamma^{\beta}\gamma_{\beta}\mathcal{W}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma^{\alpha}\gamma_{\alpha}\gamma_{\mu}\rangle\!\rangle_1$$
$$+\frac{68329}{9072000}\langle\!\langle\gamma^{\beta}\gamma_{\beta}\mathcal{W}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma^{\alpha}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1+\frac{97}{1620}\langle\!\langle\gamma^{\alpha}\gamma^{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma_{\beta}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle\gamma_{\alpha}\mathcal{W}\gamma_{\mu}\rangle\!\rangle_2$$
$$-\frac{45079}{181440}\langle\!\langle\gamma^{\alpha}\gamma^{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma_{\beta}\mathcal{W}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle\gamma_{\alpha}\gamma_{\mu}\rangle\!\rangle_2+\frac{50027}{1209600}\langle\!\langle\gamma^{\alpha}\gamma^{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle\mathcal{W}\gamma_{\mu}\rangle\!\rangle_2$$
$$-\frac{60163}{1209600}\langle\!\langle\gamma^{\alpha}\gamma^{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\mathcal{W}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle\gamma_{\mu}\rangle\!\rangle_2-\frac{12239}{756000}\langle\!\langle\gamma^{\alpha}\gamma^{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\mathcal{W}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1$$
$$-\frac{58553}{302400}\langle\!\langle\gamma^{\alpha}\gamma^{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\mathcal{W}\gamma_{\mu}\rangle\!\rangle_1+\frac{1601}{216000}\langle\!\langle\gamma^{\alpha}\gamma^{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\mathcal{W}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1$$
$$+\frac{1873}{75600}\langle\!\langle\gamma^{\alpha}\gamma^{\beta}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\mathcal{W}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\gamma_{\mu}\rangle\!\rangle_1-\frac{60163}{1209600}\langle\!\langle\gamma^{\alpha}\gamma^{\beta}\mathcal{W}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_0\langle\!\langle\gamma_{\mu}\rangle\!\rangle_2$$
$$-\frac{22573}{252000}\langle\!\langle\gamma^{\alpha}\gamma^{\beta}\mathcal{W}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\gamma_{\sigma}\gamma_{\mu}\rangle\!\rangle_1+\frac{38657}{151200}\langle\!\langle\gamma^{\alpha}\gamma^{\beta}\mathcal{W}\gamma^{\sigma}\rangle\!\rangle_0\langle\!\langle\gamma_{\sigma}\gamma^{\mu}\rangle\!\rangle_1\langle\!\langle\gamma_{\alpha}\gamma_{\beta}\gamma_{\mu}\rangle\!\rangle_1$$

$$+\frac{3331}{302400}\langle\!\langle\gamma^\alpha\gamma^\beta\gamma_\beta\gamma^\sigma\rangle\!\rangle_0\langle\!\langle\gamma_\alpha\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\mathcal{W}\gamma_\mu\rangle\!\rangle_2-\frac{1319}{302400}\langle\!\langle\gamma^\alpha\gamma^\beta\gamma_\beta\gamma^\sigma\rangle\!\rangle_0\langle\!\langle\gamma_\alpha\mathcal{W}\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma_\mu\rangle\!\rangle_2$$
$$+\frac{49583}{9072000}\langle\!\langle\gamma^\alpha\gamma^\beta\gamma_\beta\gamma^\sigma\rangle\!\rangle_0\langle\!\langle\gamma^\mu\rangle\!\rangle_1\langle\!\langle\gamma_\alpha\mathcal{W}\gamma_\sigma\gamma_\mu\rangle\!\rangle_1-\frac{899}{25200}\langle\!\langle\gamma^\alpha\gamma^\beta\gamma_\beta\gamma^\sigma\rangle\!\rangle_0\langle\!\langle\gamma_\sigma\gamma^\mu\rangle\!\rangle_1\langle\!\langle\gamma_\alpha\mathcal{W}\gamma_\mu\rangle\!\rangle_1$$
$$+\frac{76133}{9072000}\langle\!\langle\gamma^\alpha\gamma^\beta\gamma_\beta\gamma^\sigma\rangle\!\rangle_0\langle\!\langle\mathcal{W}\gamma^\mu\rangle\!\rangle_1\langle\!\langle\gamma_\alpha\gamma_\sigma\gamma_\mu\rangle\!\rangle_1-\frac{1319}{302400}\langle\!\langle\gamma^\alpha\gamma^\beta\gamma_\beta\mathcal{W}\gamma^\sigma\rangle\!\rangle_0\langle\!\langle\gamma_\alpha\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma_\mu\rangle\!\rangle_2$$
$$+\frac{81443}{9072000}\langle\!\langle\gamma^\alpha\gamma^\beta\gamma_\beta\mathcal{W}\gamma^\sigma\rangle\!\rangle_0\langle\!\langle\gamma^\mu\rangle\!\rangle_1\langle\!\langle\gamma_\alpha\gamma_\sigma\gamma_\mu\rangle\!\rangle_1+\frac{161}{1440}\langle\!\langle\gamma^\alpha\gamma^\beta\gamma_\beta\mathcal{W}\gamma^\sigma\rangle\!\rangle_0\langle\!\langle\gamma_\sigma\gamma^\mu\rangle\!\rangle_1\langle\!\langle\gamma_\alpha\gamma_\mu\rangle\!\rangle_1$$
$$-\frac{1319}{604800}\langle\!\langle\gamma^\alpha\gamma_\alpha\gamma^\beta\gamma_\beta\gamma^\sigma\rangle\!\rangle_0\langle\!\langle\mathcal{W}\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma_\mu\rangle\!\rangle_2+\frac{49583}{18144000}\langle\!\langle\gamma^\alpha\gamma_\alpha\gamma^\beta\gamma_\beta\gamma^\sigma\rangle\!\rangle_0\langle\!\langle\gamma^\mu\rangle\!\rangle_1\langle\!\langle\mathcal{W}\gamma_\sigma\gamma_\mu\rangle\!\rangle_1$$
$$+\frac{76133}{18144000}\langle\!\langle\gamma^\alpha\gamma_\alpha\gamma^\beta\gamma_\beta\gamma^\sigma\rangle\!\rangle_0\langle\!\langle\gamma_\sigma\gamma^\mu\rangle\!\rangle_1\langle\!\langle\mathcal{W}\gamma_\mu\rangle\!\rangle_1+\frac{70823}{18144000}\langle\!\langle\gamma^\alpha\gamma_\alpha\gamma^\beta\gamma_\beta\mathcal{W}\gamma^\sigma\rangle\!\rangle_0\langle\!\langle\gamma^\mu\rangle\!\rangle_1\langle\!\langle\gamma_\sigma\gamma_\mu\rangle\!\rangle_1$$
$$-\frac{419}{50400}\langle\!\langle\gamma^\sigma\rangle\!\rangle_1\langle\!\langle\mathcal{W}\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma^\alpha\gamma_\alpha\gamma^\beta\gamma_\beta\gamma_\mu\rangle\!\rangle_1-\frac{1693}{94500}\langle\!\langle\gamma^\sigma\rangle\!\rangle_1\langle\!\langle\gamma^\beta\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma^\alpha\gamma_\alpha\gamma_\beta\mathcal{W}\gamma_\mu\rangle\!\rangle_1$$
$$-\frac{49409}{756000}\langle\!\langle\gamma^\sigma\rangle\!\rangle_1\langle\!\langle\gamma^\beta\mathcal{W}\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma^\alpha\gamma_\alpha\gamma_\beta\gamma_\mu\rangle\!\rangle_1-\frac{177701}{18144000}\langle\!\langle\gamma^\sigma\rangle\!\rangle_1\langle\!\langle\gamma^\beta\gamma_\beta\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma^\alpha\gamma_\alpha\mathcal{W}\gamma_\mu\rangle\!\rangle_1$$
$$-\frac{20783}{2592000}\langle\!\langle\gamma^\sigma\rangle\!\rangle_1\langle\!\langle\gamma^\beta\gamma_\beta\mathcal{W}\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma^\alpha\gamma_\alpha\gamma_\mu\rangle\!\rangle_1+\frac{32527}{756000}\langle\!\langle\gamma^\sigma\rangle\!\rangle_1\langle\!\langle\gamma^\alpha\gamma^\beta\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma_\alpha\gamma_\beta\mathcal{W}\gamma_\mu\rangle\!\rangle_1$$
$$+\frac{13579}{252000}\langle\!\langle\gamma^\sigma\rangle\!\rangle_1\langle\!\langle\gamma^\alpha\gamma^\beta\mathcal{W}\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma_\alpha\gamma_\beta\gamma_\mu\rangle\!\rangle_1-\frac{42061}{1008000}\langle\!\langle\gamma^\sigma\rangle\!\rangle_1\langle\!\langle\gamma^\alpha\gamma^\beta\gamma_\beta\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma_\alpha\mathcal{W}\gamma_\mu\rangle\!\rangle_1$$
$$+\frac{2287}{84000}\langle\!\langle\gamma^\sigma\rangle\!\rangle_1\langle\!\langle\gamma^\alpha\gamma^\beta\gamma_\beta\mathcal{W}\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma_\alpha\gamma_\mu\rangle\!\rangle_1-\frac{147263}{9072000}\langle\!\langle\gamma^\sigma\rangle\!\rangle_1\langle\!\langle\gamma^\alpha\gamma_\alpha\gamma^\beta\gamma_\beta\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\mathcal{W}\gamma_\mu\rangle\!\rangle_1$$
$$+\frac{33491}{9072000}\langle\!\langle\gamma^\sigma\rangle\!\rangle_1\langle\!\langle\gamma^\alpha\gamma_\alpha\gamma^\beta\gamma_\beta\mathcal{W}\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma_\mu\rangle\!\rangle_1-\frac{3917}{108000}\langle\!\langle\mathcal{W}\gamma^\sigma\rangle\!\rangle_1\langle\!\langle\gamma^\beta\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma^\alpha\gamma_\alpha\gamma_\beta\gamma_\mu\rangle\!\rangle_1$$
$$+\frac{208129}{18144000}\langle\!\langle\mathcal{W}\gamma^\sigma\rangle\!\rangle_1\langle\!\langle\gamma^\beta\gamma_\beta\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma^\alpha\gamma_\alpha\gamma_\mu\rangle\!\rangle_1-\frac{2861}{252000}\langle\!\langle\mathcal{W}\gamma^\sigma\rangle\!\rangle_1\langle\!\langle\gamma^\alpha\gamma^\beta\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma_\alpha\gamma_\beta\gamma_\mu\rangle\!\rangle_1$$
$$-\frac{383}{504000}\langle\!\langle\mathcal{W}\gamma^\sigma\rangle\!\rangle_1\langle\!\langle\gamma^\alpha\gamma^\beta\gamma_\beta\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma_\alpha\gamma_\mu\rangle\!\rangle_1+\frac{7757}{1512000}\langle\!\langle\gamma^\beta\gamma^\sigma\rangle\!\rangle_1\langle\!\langle\gamma_\beta\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma^\alpha\gamma_\alpha\mathcal{W}\gamma_\mu\rangle\!\rangle_1$$
$$+\frac{73127}{1512000}\langle\!\langle\gamma^\beta\gamma^\sigma\rangle\!\rangle_1\langle\!\langle\gamma_\beta\mathcal{W}\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma^\alpha\gamma_\alpha\gamma_\mu\rangle\!\rangle_1+\frac{1717}{28000}\langle\!\langle\gamma^\beta\gamma^\sigma\rangle\!\rangle_1\langle\!\langle\gamma^\alpha\gamma_\beta\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma_\alpha\mathcal{W}\gamma_\mu\rangle\!\rangle_1$$
$$-\frac{8747}{84000}\langle\!\langle\gamma^\beta\gamma^\sigma\rangle\!\rangle_1\langle\!\langle\gamma^\alpha\gamma_\beta\mathcal{W}\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma_\alpha\gamma_\mu\rangle\!\rangle_1+\frac{14029}{189000}\langle\!\langle\gamma^\beta\mathcal{W}\gamma^\sigma\rangle\!\rangle_1\langle\!\langle\gamma_\beta\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma^\alpha\gamma_\alpha\gamma_\mu\rangle\!\rangle_1$$
$$+\frac{337}{16800}\langle\!\langle\gamma^\beta\gamma_\beta\gamma^\sigma\rangle\!\rangle_1\langle\!\langle\mathcal{W}\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma^\alpha\gamma_\alpha\gamma_\mu\rangle\!\rangle_1-\frac{17}{80640}\langle\!\langle\gamma^\sigma\mathcal{W}\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma^\alpha\gamma_\alpha\gamma^\beta\gamma_\beta\gamma_\sigma\gamma_\mu\rangle\!\rangle_1$$
$$+\frac{8401}{36288000}\langle\!\langle\gamma^\sigma\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma^\alpha\gamma_\alpha\gamma^\beta\gamma_\beta\mathcal{W}\gamma_\mu\rangle\!\rangle_1+\frac{751}{36288000}\langle\!\langle\gamma^\sigma\gamma_\sigma\mathcal{W}\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma^\alpha\gamma_\alpha\gamma^\beta\gamma_\beta\gamma_\mu\rangle\!\rangle_1$$
$$-\frac{36019}{54432000}\langle\!\langle\gamma^\beta\gamma^\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma^\alpha\gamma_\alpha\gamma_\beta\gamma_\sigma\mathcal{W}\gamma_\mu\rangle\!\rangle_1-\frac{142579}{54432000}\langle\!\langle\gamma^\beta\gamma^\sigma\mathcal{W}\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma^\alpha\gamma_\alpha\gamma_\beta\gamma_\sigma\gamma_\mu\rangle\!\rangle_1$$
$$-\frac{4327}{6048000}\langle\!\langle\gamma^\beta\gamma^\sigma\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma^\alpha\gamma_\alpha\gamma_\beta\mathcal{W}\gamma_\mu\rangle\!\rangle_1+\frac{2269}{3024000}\langle\!\langle\gamma^\beta\gamma^\sigma\gamma_\sigma\mathcal{W}\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma^\alpha\gamma_\alpha\gamma_\beta\gamma_\mu\rangle\!\rangle_1$$
$$-\frac{4327}{12096000}\langle\!\langle\gamma^\beta\gamma_\beta\gamma^\sigma\gamma_\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma^\alpha\gamma_\alpha\mathcal{W}\gamma_\mu\rangle\!\rangle_1+\frac{1583}{12096000}\langle\!\langle\gamma^\beta\gamma_\beta\gamma^\sigma\gamma_\sigma\mathcal{W}\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma^\alpha\gamma_\alpha\gamma_\mu\rangle\!\rangle_1$$
$$+\frac{4843}{1701000}\langle\!\langle\gamma^\alpha\gamma^\beta\gamma^\sigma\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma_\alpha\gamma_\beta\gamma_\sigma\mathcal{W}\gamma_\mu\rangle\!\rangle_1-\frac{48961}{13608000}\langle\!\langle\gamma^\alpha\gamma^\beta\gamma^\sigma\mathcal{W}\gamma^\mu\rangle\!\rangle_0\langle\!\langle\gamma_\alpha\gamma_\beta\gamma_\sigma\gamma_\mu\rangle\!\rangle_1$$

$$+\frac{1579}{2592000}\langle\langle\gamma^\alpha\gamma^\beta\gamma^\sigma\gamma_\sigma\gamma^\mu\rangle\rangle_0\langle\langle\gamma_\alpha\gamma_\beta\mathcal{W}\gamma_\mu\rangle\rangle_1-\frac{15377}{18144000}\langle\langle\gamma^\alpha\gamma^\beta\gamma^\sigma\gamma_\sigma\mathcal{W}\gamma^\mu\rangle\rangle_0\langle\langle\gamma_\alpha\gamma_\beta\gamma_\mu\rangle\rangle_1$$
$$-\frac{15733}{18144000}\langle\langle\gamma^\alpha\gamma^\beta\gamma_\beta\gamma^\sigma\gamma_\sigma\gamma^\mu\rangle\rangle_0\langle\langle\gamma_\alpha\mathcal{W}\gamma_\mu\rangle\rangle_1+\frac{1481}{2592000}\langle\langle\gamma^\alpha\gamma^\beta\gamma_\beta\gamma^\sigma\gamma_\sigma\mathcal{W}\gamma^\mu\rangle\rangle_0\langle\langle\gamma_\alpha\gamma_\mu\rangle\rangle_1$$
$$-\frac{15733}{72576000}\langle\langle\gamma^\alpha\gamma_\alpha\gamma^\beta\gamma_\beta\gamma^\sigma\gamma_\sigma\gamma^\mu\rangle\rangle_0\langle\langle\mathcal{W}\gamma_\mu\rangle\rangle_1+\frac{4877}{72576000}\langle\langle\gamma^\alpha\gamma_\alpha\gamma^\beta\gamma_\beta\gamma^\sigma\gamma_\sigma\mathcal{W}\gamma^\mu\rangle\rangle_0\langle\langle\gamma_\mu\rangle\rangle_1$$
$$+\frac{1}{3870720}\langle\langle\gamma^\alpha\gamma_\alpha\gamma^\beta\gamma_\beta\gamma^\sigma\gamma_\sigma\gamma^\mu\gamma_\mu\mathcal{W}\rangle\rangle_0.$$

References

[BP] P. Belorousski, R. Pandharipande, *A descendent relation in genus 2*, Annali della Scuola Normale Superiore di Pisa-Classe di Scienze, 2000, 29(1): 171-191.

[Ge1] E. Getzler, *Intersection theory on $\overline{\mathcal{M}}_{1,4}$ and elliptic Gromov-Witten invariants*, Journal of the American Mathematical Society, 1997, 10(4): 973-998.

[Ge2] E. Getzler, *Topological recursion relations in genus 2*, Integrable systems and algebraic geometry (Kobe/Kyoto, 1997), 73C106.

[KL1] T. Kimura, X. Liu, *A genus-3 topological recursion relation*, Communications in mathematical physics, 2006, 262(3): 645-661.

[KL2] T. Kimura, X. Liu, *Topological recursion relations on $\overline{\mathcal{M}}_{3,2}$*, Science China Mathematics, 2015, 58(9): 1909-1922.

[PPZ] R. Pandharipande, A. Pixton, D. Zvonkine, *Relations on $\overline{\mathcal{M}}_{g,n}$ via 3-spin structures*, Journal of the American Mathematical Society, 2015, 28(1): 279-309.

[P1] A. Pixton, *Conjectural relations in the tautological ring of $\overline{\mathcal{M}}_{g,n}$*, arXiv:1207.1918.

[P2] A. Pixton, *http://math.mit.edu/∼apixton/programs/tautrel.sage.*

[LT] J. Li, G. Tian, *Virtual moduli cycles and Gromov-Witten invariants of general symplectic manifolds*, Topics in symplectic 4-manifolds (Irvine, CA, 1996), 47-83.

[Li] Y. Lin, *Topological recursion relations from Pixton relations, Phd thesis.*

[L1] X. Liu, *Quantum product on the big phase space and Virasoro conjecture*, Advances in Mathematics 169 (2002), 313-375.

[L2] X. Liu, *Gromov-Witten invariants and moduli spaces of curves*, ICM. 2006, 2: 791-812.

[LP] X. Liu, R. Pandharipande, *New topological recursion relations*, Journal of Algebraic Geometry, 2011, 20(3): 479-494.

[RT] Y. Ruan, G. Tian, *Higher genus symplectic invariants and sigma models coupled with gravity*, Invent. Math. 130 (1997), 455-516.

[W] E. Witten, *Two dimensional gravity and intersection theory on Moduli space*, Surveys in Diff. Geom., 1 (1991), 243-310.

Xin Wang
School of Mathematics
Shandong University, Jinan, China
E-mail address:*wangxin2015@sdu.edu.cn*